

SLOW HARDENER

Page: 1

Compilation date: 10/10/2016

Revision No: 10

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: SLOW HARDENER Product code: 301604

Synonyms: H-611

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Epoxy hardener preparation

1.3. Details of the supplier of the safety data sheet

Company name: Cedesa Ltd

	Chater Lea Buildings		
	Icknield Way		
	Letchworth		
	Hertfordshire		
	SG6 1WT		
	UK		
Tel:	+44 (0) 1462 480764		
Fax:	+44 (0) 1462 679324		
Email:	mike.joyce@cedesa.co.uk		

1.4. Emergency telephone number

Emergency tel: +44 (0) 1462 480764

(office hours only)

Section 2: Hazards identification

Classification under CLP:	Acute Tox. 4: H302; Repr. 2: H361fd; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; Skin
	Corr. 1B: H314; Skin Sens. 1: H317
Nost important adverse effects:	Harmful if swallowed. Causes severe skin burns and eye damage. May cause an
	allergic skin reaction. Suspected of damaging fertility. Suspected of damaging the
	unborn child. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Label elements:

Hazard statements: H302: Harmful if swallowed.

H314: Causes severe skin burns and eye damage.

H317: May cause an allergic skin reaction.

H361fd: Suspected of damaging fertility. Suspected of damaging the unborn child.

SLOW HARDENER

Page: 2

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.


Hazard pictograms: GHS05: Corrosion

GHS07: Exclamation mark

GHS08: Health hazard

GHS09: Environmental





PBT: This product is not identified as a PBT/vPvB substance.

Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

4-NONYLPHENOL, BRANCHED

EINECS	CAS	PBT / WEL	CLP Classification	Percent
284-325-5	84852-15-3	-	Repr. 2: H361fd; Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Chronic 1: H410; Aquatic Acute 1: H400	70-90%

SLOW HARDENER

Page: 3

2-PIPERAZIN-1-YLETHYLAMINE

205-411-0	140-31-8	-	Acute Tox. 4: H312; Acute Tox. 4: H302;	10-30%
			Skin Corr. 1B: H314; Skin Sens. 1:	
			H317; Aquatic Chronic 3: H412	

Section 4: First aid measures

4.1. Description of first aid measures			
Skin contact:	Remove all contaminated clothes and footwear immediately unless stuck to skin.		
	Drench the affected skin with running water for 10 minutes or longer if substance is still		
	on skin. Transfer to hospital if there are burns or symptoms of poisoning.		
Eye contact:	Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist		
	examination.		
Ingestion:	Wash out mouth with water. Do not induce vomiting. Give 1 cup of water to drink every 10		
	minutes. If unconscious, check for breathing and apply artificial respiration if necessary.		
	If unconscious and breathing is OK, place in the recovery position. Transfer to hospital		
	as soon as possible.		
Inhalation:	Remove casualty from exposure ensuring one's own safety whilst doing so. If		
	unconscious and breathing is OK, place in the recovery position. If conscious, ensure		
	the casualty sits or lies down. If breathing becomes bubbly, have the casualty sit and		
	provide oxygen if available. Transfer to hospital as soon as possible.		
4.2. Most important symptom	ns and effects, both acute and delayed		
Skin contact:	Blistering may occur. Progressive ulceration will occur if treatment is not immediate.		
Eye contact:	Corneal burns may occur. May cause permanent damage.		
Ingestion:	Corrosive burns may appear around the lips. Blood may be vomited. There may be		
	bleeding from the mouth or nose.		
Inhalation:	There may be shortness of breath with a burning sensation in the throat. Exposure may		
	cause coughing or wheezing.		
Delayed / immediate effects:	Immediate effects can be expected after short-term exposure.		
4.3. Indication of any immedi	ate medical attention and special treatment needed		
Immediate / special treatment:	Eye bathing equipment should be available on the premises. A decontamination shower		
	should be available on the premises.		
Sontion E. Fire fighting man			
Section 5: Fire-fighting meas	puies		
5.1. Extinguishing media			

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

5.2. Special hazards arising from the substance or mixture

Exposure hazards: Corrosive. In combustion emits toxic fumes.

SLOW HARDENER

E 2 Advice for fire fighters	
5.3. Advice for fire-fighters	
Advice for fire-fighters:	Wear self-contained breathing apparatus. Wear protective clothing to prevent contact
	with skin and eyes.
Section 6: Accidental release	e measures
6.1. Personal precautions, pr	otective equipment and emergency procedures
Personal precautions:	Notify the police and fire brigade immediately. If outside keep bystanders upwind and
	away from danger point. Mark out the contaminated area with signs and prevent access
	to unauthorised personnel. Do not attempt to take action without suitable protective
	clothing - see section 8 of SDS. Turn leaking containers leak-side up to prevent the
	escape of liquid.
6.2 Environmental processio	
6.2. Environmental precautio	115
Environmental precautions:	Do not discharge into drains or rivers. Contain the spillage using bunding.
6.3. Methods and material for	r containment and cleaning up
Clean-up procedures:	Clean-up should be dealt with only by qualified personnel familiar with the specific
	substance. Absorb into dry earth or sand. Transfer to a closable, labelled salvage
	container for disposal by an appropriate method.
6.4. Reference to other section	
Reference to other sections:	Refer to section 8 of SDS.
Section 7: Handling and stor	age
7.1. Precautions for safe han	dling
Handling requirements:	Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area.
5 1 1 1 1	Do not handle in a confined space. Avoid the formation or spread of mists in the air.
7.2 Conditions for safe store	
	ige, including any incompatibilities
Storage conditions:	Store in a cool, well ventilated area. Keep container tightly closed.
Suitable packaging:	Must only be kept in original packaging.
7.3. Specific end use(s)	
Specific end use(s):	No data available.
Section 8: Exposure controls	s/personal protection
8.1. Control parameters	
Workplace exposure limits:	No data available.
DNEL/PNEC Values	

DNEL / PNEC No data available.

SLOW HARDENER

8.2. Exposure controls	
Engineering measures:	Ensure there is sufficient ventilation of the area.
Respiratory protection:	Self-contained breathing apparatus must be available in case of emergency. Respiratory
	equipment is required only if the general level exceeds the Working Exposure Limit
	(WEL).
Hand protection:	Butyl gloves. Neoprene gloves. PVC gloves. Rubber gloves. Nitrile gloves. Breakthrough
	time of the glove material > 4 hours.
Eye protection:	Tightly fitting safety goggles. Ensure eye bath is to hand.
Skin protection:	Impermeable protective clothing.

Section 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

State:	Liquid		
Colour:	Colourless to yellow		
Odour:	Amine-like		
Solubility in water:	Not miscible		
Kinematic viscosity:	5500 mPas		
Boiling point/range°C:	>200	Flash point°C:	> 100
Vapour pressure:	5 hPa@50C	Relative density:	0.98
pH:	8.5 - 11.0	VOC g/l:	0

9.2. Other information

Other information: No data available.

Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

10.4. Conditions to avoid

Conditions to avoid: Heat.

10.5. Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids. Alcohols.

SLOW HARDENER

Page: 6

10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

4-NONYLPHENOL, BRANCHED

ORL	RAT	LD50	1300	mg/kg
SKN	RBT	LDLO	3160	mg/kg

2-PIPERAZIN-1-YLETHYLAMINE

IPR	MUS	LD50	250	mg/kg
ORL	RAT	LD50	2140	µl/kg

Relevant hazards for product:

Hazard	Route	Basis
Acute toxicity (ac. tox. 4)	ING	Hazardous: calculated
Skin corrosion/irritation	DRM	Hazardous: calculated
Serious eye damage/irritation	OPT	Hazardous: calculated
Respiratory/skin sensitisation	DRM	Hazardous: calculated
Reproductive toxicity		Hazardous: calculated

Symptoms / routes of exposure

Skin contact: Blistering may occur. Progressive ulceration will occur if treatment is not immediate.

Eye contact: Corneal burns may occur. May cause permanent damage.

Ingestion: Corrosive burns may appear around the lips. Blood may be vomited. There may be bleeding from the mouth or nose.

Inhalation: There may be shortness of breath with a burning sensation in the throat. Exposure may cause coughing or wheezing.

Delayed / immediate effects: Immediate effects can be expected after short-term exposure.

Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

12.2. Persistence and degradability

Persistence and degradability: Not readily biodegradable.

12.3. Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

SLOW HARDENER

Page: 7

12.4.	Mo	bilitv	in	soil
		~		

Mobility: Absorbed only slowly into soil.

12.5. Results of PBT and vPvB assessment

Persistence (P-):

days

Half-life in marine water: >60

Persistence result: not P-

Bioaccumulation (B-):

Toxicity (T-):

Bioaccumulation result: not B-

Toxicity result: not T-

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity.

Section 13: Disposal considerations

13.1. Waste treatment methods

 Disposal operations:
 Transfer to a suitable container and arrange for collection by specialised disposal company.

 Disposal of packaging:
 Dispose of in a regulated landfill site or other method for hazardous or toxic wastes.

 NB:
 The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

Section 14: Transport information

14.1. UN number

UN number: UN2922

14.2. UN proper shipping name

Shipping name: CORROSIVE LIQUID, TOXIC, N.O.S.

(NONYLPHENOL; 2-PIPERAZIN-1-YLETHYLAMINE)

14.3. Transport hazard class(es)

Transport class: 8 (6.1)

14.4. Packing group

Packing group: ||

14.5. Environmental hazards

Environmentally hazardous: Yes

Marine pollutant: Yes

SLOW HARDENER

Page: 8

14.6. Special precautions for user

Special precautions: No special precautions.

Tunnel code: E

Transport category: 2

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Authorisation status under REACH:

The following substance/s contained in this product is listed in the Candidate List of Substances of Very High Concern for Authorisation: CAS-No.: 84852-15-3 Name: 4-nonylphenol, branched

15.2. Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has been carried out for the substance or the mixture by the supplier.

Section 16: Other information

Other information Other information: This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830. * indicates text in the SDS which has changed since the last revision. Phrases used in s.2 and s.3: H302: Harmful if swallowed. H312: Harmful in contact with skin. H314: Causes severe skin burns and eye damage. H317: May cause an allergic skin reaction. H361fd: Suspected of damaging fertility. Suspected of damaging the unborn child. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects. H412: Harmful to aquatic life with long lasting effects. Legal disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.