

# RUST CONVERTER

Page: 1

Compilation date: 12/06/2017

Revision No: 9

Section 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name: RUST CONVERTER

Product code: 301181

Synonyms: GM890

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance / mixture: Rust Treatment

# 1.3. Details of the supplier of the safety data sheet

Company name: Cedesa Ltd

	Chater Lea Buildings		
	Icknield Way		
	Letchworth		
	Hertfordshire		
	SG6 1WT		
	UK		
Tel:	+44 (0) 1462 480764		
Fax:	+44 (0) 1462 679324		
Email:	mike.joyce@cedesa.co.uk		

# 1.4. Emergency telephone number

Emergency tel: +44 (0) 1462 480764

(office hours only)

## Section 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification under CLP: Eye Irrit. 2: H319

Most important adverse effects: Causes serious eye irritation.

### 2.2. Label elements

Label elements:

Hazard statements: H319: Causes serious eye irritation.

Hazard pictograms: GHS07: Exclamation mark



Signal words: Warning

Precautionary statements: P264: Wash exposed skin thoroughly after handling.

# RUST CONVERTER

Page: 2

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P337+313: If eye irritation persists: Get medical advice/attention.

### 2.3. Other hazards

**PBT:** This product is not identified as a PBT/vPvB substance.

### Section 3: Composition/information on ingredients

## 3.2. Mixtures

### Hazardous ingredients:

TALC

EINECS	CAS	PBT / WEL	CLP Classification	Percent
238-877-9	14807-96-6	Substance with a Community workplace exposure limit.	-	10-30%

# LACTIC ACID

-	79-33-4	-	Skin Irrit. 2: H315; Eye Dam. 1: H318	1-10%	
---	---------	---	---------------------------------------	-------	--

# Section 4: First aid measures

 4.1. Description of first aid measures

 Skin contact:
 Wash immediately with plenty of soap and water.

 Eye contact:
 Bathe the eye with running water for 15 minutes.

 Ingestion:
 Wash out mouth with water. Do not induce vomiting. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

### 4.2. Most important symptoms and effects, both acute and delayed

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

## 4.3. Indication of any immediate medical attention and special treatment needed

Immediate / special treatment: Not applicable.

# Section 5: Fire-fighting measures

5.1. Extinguishing media

Extinguishing media: Suitable extinguishing media for the surrounding fire should be used. Use water spray

to cool containers.

# RUST CONVERTER

### 5.2. Special hazards arising from the substance or mixture

Exposure hazards: In combustion emits toxic fumes.

### 5.3. Advice for fire-fighters

Advice for fire-fighters: Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

### Section 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Turn leaking containers leakside up to prevent the escape of liquid.

### 6.2. Environmental precautions

Environmental precautions: Do not discharge into drains or rivers. Contain the spillage using bunding.

## 6.3. Methods and material for containment and cleaning up

Clean-up procedures: Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for

disposal by an appropriate method.

# 6.4. Reference to other sections

Reference to other sections: Refer to section 8 of SDS.

### Section 7: Handling and storage

## 7.1. Precautions for safe handling

Handling requirements: Ensure there is sufficient ventilation of the area.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions: Store in a cool, well ventilated area. Keep container tightly closed.

Suitable packaging: Must only be kept in original packaging.

7.3. Specific end use(s)

Specific end use(s): No data available.

## Section 8: Exposure controls/personal protection

# 8.1. Control parameters

### Hazardous ingredients:

TALC

# Workplace exposure limits: Respirable dust

State 8 hour TWA 15 min. STEL 8 hour TWA	15 min. STEL
--	--------------

# RUST CONVERTER

					<b>Page:</b> 4
UK		-	-	1 mg/m3	-
DNEL/PNEC	Values				
	DNEL / PNEC	No data a	vailable.		
8.2. Exposu	re controls				
Engineering measures: Ensure there is sufficient ventilation of the area.					
<b>Respiratory protection:</b> Use respiratory protection if used in a spray.					
Hand protection: Protective gloves.					
Eye protection: Safety glasses. Ensure eye bath is to hand.					
	Skin protection: Protective clothing.				
Section 9: Ph	ysical and cher	nical prop	perties		
9.1. Informat	tion on basic phy	vsical and o	chemical properties		
	State:	Liquid			
	Colour:	Off-white			
Odour: Barely perceptible odour					
So	Solubility in water: Miscible				
Kine	Kinematic viscosity: 11-15poise				
Viscos	sity test method:	Kinematic viscosity in 10-6 m2/s at 40°C (ISO 3104/3105)			
Boiling	g point/range°C:	98		Relative density:	1.14 - 1.18
	pH:	2.5			
9.2. Other in	formation				

Other information: No data available.

# Section 10: Stability and reactivity

10.1. Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2. Chemical stability

Chemical stability: Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

## 10.4. Conditions to avoid

Conditions to avoid: Heat.

## 10.5. Incompatible materials

# RUST CONVERTER

**Page:** 5

### 10.6. Hazardous decomposition products

Haz. decomp. products: In combustion emits toxic fumes.

## Section 11: Toxicological information

### 11.1. Information on toxicological effects

### **Relevant hazards for product:**

Hazard	Route	Basis
Serious eye damage/irritation	OPT	Hazardous: calculated

Symptoms / routes of exposure

Skin contact: There may be mild irritation at the site of contact.

Eye contact: There may be irritation and redness.

Ingestion: There may be irritation of the throat.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

# Section 12: Ecological information

12.1. Toxicity

Ecotoxicity values: No data available.

## 12.2. Persistence and degradability

Persistence and degradability: No data available.

### 12.3. Bioaccumulative potential

Bioaccumulative potential: No data available.

12.4. Mobility in soil

Mobility: No data available.

### 12.5. Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6. Other adverse effects

Other adverse effects: No data available.

### Section 13: Disposal considerations

### 13.1. Waste treatment methods

 Disposal operations:
 Transfer to a suitable container and arrange for collection by specialised disposal company.

 Disposal of packaging:
 Arrange for collection by specialised disposal company.

 NB:
 The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

# RUST CONVERTER

# **Section 14: Transport information**

# Transport class: This product does not require a classification for transport.

# Section 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.2. Chemical Safety Assessment

# Section 16: Other information

# Other information

Other information:	This safety data sheet is prepared in accordance with Commission Regulation (EU) No		
	2015/830.		
	* indicates text in the SDS which has changed since the last revision.		
Phrases used in s.2 and s.3:	H315: Causes skin irritation.		
	H318: Causes serious eye damage.		
	H319: Causes serious eye irritation.		
Legal disclaimer:	The above information is believed to be correct but does not purport to be all inclusive		
	and shall be used only as a guide. This company shall not be held liable for any		
	damage resulting from handling or from contact with the above product.		